





Merlin Classic line...

For nearly a quarter century Merlin Metalworks has set the standard for the world's finest bikes. Each frame is hand-crafted from aerospace-grade materials to our exacting tolerances. Climb onto a Merlin and find out what smooth tracking and phenomenal acceleration are really like.

Very few companies can work with titanium, even fewer do it well... but no one creates titanium perfection better than Merlin. We even specify our own tubes each to ensure maximum tensile strength, add ultrasonic and Eddy current testing and you know this is going to be a light, strong and perfectly crafted bike. We are so confident in our tube creation and build quality that we offer a lifetime warranty on all of our titanium frames.

Extralight



Classic Performance

02







Stiff and light thanks to an all-new MTS butted 3/2.5 oversized titanium tubeset.

New oversized tube shaping and forming enhance bottom bracket stiffness while maintaining a resilient ride.

The Extralight's nonintegrated, elegantly engraved head tube attests to Merlin's meticulous artistry and decreases frame weight.

Merlin signature hourglass shaped seatstays coupled with massive 1" tapered, doubled butted chainstays.

S I Z E S 49 | 51 | 53 | 55 | 57 | 59 | 61 | 63 | custom

Weight | 2.75 lbs (55)



Form Meets Function







03

Exclusive Ti-lugged Carbon Technology blends carbon and titanium for a smooth and fast ride.

Individually sculpted and engraved lugs fuse artistry with cutting-edge technology.

Hourglass-shaped carbon seatstays add to the smooth ride.

Massive 1" chainstays for the ultimate in propulsion.

S I Z E S 49 | 51 | 53 | 55 | 57 | 59 | 61 | custom

Weight | 3.12 lbs (55)

Cyrene Solis





04







Merlin MTS 3/2.5 size specific titanium tubing is strong and light.

Stunning artistic engravings (new for 2006) add to the unique aesthetic appeal of this frame.

Beautiful Merlin signature hourglass-shaped 3/2.5 titanium seatstays offer an extremely smooth ride.



Long Haul Comfort







Designed for comfort, the Solis utilizes a taller head tube and a shorter top tube to put the rider in a more upright and comfortable riding position.

Elegant Merlin signature hourglass titanium seatstays aid in rider comfort by absorbing road-induced vibrations.

Lower stand-over height and greater comfort thanks to the sloping top tube.

Superior power transfer from MTS 3/2.5 titanium tubing selection.

S I Z E S 49 | 51 | 53 | 55 | 57 | 59 | 61 | custom

Weight | 3.08 lbs (55)

SIZES S|M|ML|L|XL|custom

Camena



Female Specific







Merlin MTS 3/2.5 size specific titanium tubing is strong and light.

Specifically designed geometry with the female physique in mind.

Meticulous engravings on the headtube, bottom bracket, and seatstays add to the bike's refined beauty.

Hourglass-shaped seatstays offer a smooth ride.

SIZES XS|S|M|L|XL|custom

Weight | 2.95 lbs (M)

Merlin Custom

Everything is better as a custom

Tom Kellogg, the legendary frame designer, oversees the development of all Merlin products and is a major influence upon every custom frame we produce.

The Merlin "Made To Measure" program allows the discerning cyclist the chance of owning a custom Merlin frameset built to there own specific requirements.... Need fender eyelets on a race machine? No problem! Need a 59cm top tube and 49 cm seat tube? No problem! Need a female specific design? No problem.

You fill the form out on the website - *merlinbike.com* - take it to your local Merlin dealer, after you place an order they send the form to us. We then return a CAD drawing of your frame to your dealer. After consultation with the designer, you approve your frame design and the bike is delivered to your Merlin dealer.

For more information please visit www.merlinbike.com



06

Road *Components for all road bikes Classic & Works Line.

Mtn. *Compnents for XLM 6/4 & MR 3/2.5

Component	Dura Ace ProBuild	Dura Ace	Ultegra	XTR Disc	XT Disc			
Headset	Chris King	Cane Creek SOLOS	Cane Creek S-3	Cane Creek S-3	Cane Creek S-3			
Handlebar	ITM K-Sword Carbon 31.8	ITM Mantis 31.8	ITM Mantis 31.8	Flat & Riser	Flat & Riser			
Stem	ITM Millenium 4-Ever Carbon 31.8	ITM Mantis 31.8	ITM Mantis 31.8	FSA OS-115 31.8	FSA OS-170 31.8			
Grips / Bar Tape	Cork Black	Cork Black	Cork Black	Oury Mtn Grips	Oury Mtn Grips			
Saddle	fi'zi:k Arione Ti	fi'zi:k Aliante Sport Ti	fi'zi:k Aliante Sport Ti	Fi'zi:k Gobi	Fi'zi:k Aliante Sport Ti			
Seat Post	Real Design Carbon	FSA SLK Carbon	Thomson	Thompson	Thompson			
Front Derailleur	Dura Ace 7800	Dura Ace 7800	Ultegra 6600	XTR	XT			
Rear Derailleur	Dura Ace 7800	Dura Ace 7800	Ultegra 6600	XTR	XT			
Shifters	Dura Ace 7800	Dura Ace 7800	Ultegra 6600	XTR	XT			
Cranks	Dura Ace 7800	FSA SLK Carbon	Ultegra 6600	XTR	XT			
Bottom Bracket	Dura Ace 7800	MegaExo	Ultegra 6600	XTR	XT			
Cassette	Dura Ace 7800	Ultegra 6600	Ultegra 6600	XTR	XT			
Chain	Dura Ace 7800	Ultegra 6600	Ultegra 6600	Dura Ace / XTR	Shimano			
Brakes	Dura Ace 7800	Ultegra 6600	Ultegra 6600	XTR Disc	XT			
Wheelset	Mavic Ksyrium SL	Real Design UltraSphere	Real Design SuperSphere	CrossMax SL Disc	CrossMax Enduro Disc			
Tires	Vittoria Rubino Pro	Vittoria Rubino Pro	Vittoria Rubino Pro	Continental Explorer	Continental Explorer			

09

Classic	Size (cm)	Seat Tube Length (cm)	Top Tube Length (cm)	Head Tube Length (cm)	Head Tube Angle	Seat Tube Angle	Chainstay Length (cm)	Wheelbase (cm)	Standover Height (cm)	Front Center (cm)	BB Drop (cm)	Fork Rake (mm)	Frame Weight (grams)	Frame Weight (lbs)	Wheel Size	WORKS	Size (cm)	Seat Tube Length (cm)	Top Tube Length (cm)	Head Tube Length (cm)	Head Tube Angle	Seat Tube Angle	Chainstay Length (cm)	Wheelbase (cm)	Standover Height (cm)	Front Center (cm)	BB Drop (cm)	Fork Rake (mm)	Frame Weight (grams)	Frame Weight (lbs)	Wheel Size
	49	51	52.1	9	72.5	74.0	41.6	96.7	74.4	56.2	7.3	45.0	1370	3.02			49	51	52.1	10	72.5	74.0	41.6	96.7	74.5	56.2	7.3	45.0	1065	2.35	
	51	53	53.3	9	73.0	74.0	41.6	97.8	75.7	57.2	7.0	45.0	1380	3.04		8 6/4	51	53	53.3	10	73.0	74.0	41.6	97.8	75.7	57.2	7.0	45.0	1080	2.38	
	53	55	54.5	11	73.0	74.0	41.0	98.4	77.7	58.4	7.0	45.0	1405	3.09			53 55	55 57	54.5 55.5	11 12.5	73.0 73.5	74.0 73.5	41.0 41.0	98.4 98.3	77.6 79.4	58.4 58.3	7.0 7.0	45.0 43.0	1105 1130	2.43	700c
Cielo	55	57	55.5	12.5	73.5	73.5	41.0	98.3	79.3	58.3	7.0	43.0	1415	3.12	700c	H	57	59	56.5	14.5	73.5	73.0	41.0	98.8	81.2	58.8	7.0	43.0	1155	2.54	7000
O	57	59	56.5	14.5	73.5	73.0	41.0	98.8	81.1	58.8	7.0	43.0	1425	3.14			59	61	57.5	16	74.0	73.0	41.0	99.0	83.1	59.0	7.0	40.0	1295	2.85	
	59	61	57.5	16.5	74.0	73.0	41.0	99.0	83.0	59.0	7.0	40.0	1465	3.23			61	63	58.5	18.3	74.0	72.5	41.6	100.2	85.1	59.5	6.7	40.0	1330	2.93	
	61	63	58.5	18.5	74.0	72.5	41.6	100.2	85.0	59.5	6.7	40.0	1480	3.26			S	47.5 49	54.5 55.5	11 12.5	73.0 73.5	74.0 73.5	41.0 41.0	98.4 98.3	74.3 75.0	58.4 58.3	7.0 7.0	45.0 43.0	1050 1080	2.31 2.38	
	S	47.5	53	12	72.0	73.5	42.0	98.3	72.4	57.6	8.0	50.0	1365	3.01	700с	CR 6/4	ML	51	56.5	14.4	73.5	73.0	41.0	98.8	75.7	58.8	7.0	43.0	1100	2.42	700c
Solis	М	49.5	54.5	14	72.0	73.0	42.0	99.4	74.1	58.7	8.0	50.0	1390	3.06		Ö	L	53	57.5	16	74.0	73.0	41.0	99.0	76.5	59.0	7.0	40.0	1235	2.72	
	ML	51	55.5	16	73.0	73.0	42.0	99.0	75.5	58.3	8.0	45.0	1415	3.12			XL	55	58.5	18.3	74.0	72.5	41.6	100.2	80.0	59.5	6.7	40.0	1290	2.84	
	L	53	56.5	18	73.0	72.5	42.5	100.0	77.7	58.8	8.0	45.0	1435	3.16			49	51	52.1	10	72.5	74.0	41.6	96.7	74.5	56.2	7.3	45.0	1130	2.49	
	XL	56	58	20	73.0	72.0	42.5	100.9	80.0	59.7	8.0	45.0	1475	3.25		73	51 53	53 55	53.3 54.5	10 11	73.0 73.0	74.0 74.0	41.6 41.0	97.8 98.4	75.7 77.6	57.2 58.4	7.0 7.0	45.0 45.0	1170 1210	2.58 2.67	
	49	51	52.1	9	72.5	74.0	41.6	96.8	74.3	56.3	7.3	45.0	1305	2.87		3/5	55	57	55.5	12.5	73.5	73.5	41.0	98.3	79.4	58.3	7.0	43.0	1250	2.75	700c
	51	53	53.3	9	73.0	74.0	41.6	97.8	75.7	57.2	7.0	45.0	1350	2.97		Ħ	57	59	56.5	14.5	73.5	73.0	41.0	98.8	81.2	58.8	7.0	43.0	1290	2.84	
	53	55	54.5	11	73.0	74.0	41.0	98.4	77.6	58.4	7.0	45.0	1375	3.03			59 61	61 63	57.5 58.5	16 18.3	74.0 74.0	73.0 72.5	41.0 41.6	99.0	83.1 85.1	59.0 59.5	7.0 6.7	40.0 40.0	1335 1425	2.94 3.14	
ne	55	57	55.5	12.5	73.5	73.5	41.0	98.3	79.4	58.3	7.0	43.0	1400	3.08	700c		S	47.5	54.5	11	73.0	74.0	41.0	98.4	74.3	58.4	7.0	45.0	1115	2.46	
Cyrene	57	59	56.5	14.5	73.5	73.0	41.0	98.8	81.2	58.8	7.0	43.0	1440	3.17		CR 3/2.5	М	49	55.5	12.5	73.5	73.5	41.0	98.3	75.0	58.3	7.0	43.0	1160	2.56	
O	59	61	57.5	16.5	74.0	73.0	41.0	99.0	83.1	59.0	7.0	40.0	1540	3.39			ML	51	56.5	14.4	73.5	73.0	41.0	98.8	75.7	58.8	7.0	43.0	1190	2.62	700c
	61	63	58.5	18.5	74.0	72.5	41.6	100.2	85.1	59.5	6.7	40.0	1630	3.59			L XL	53 55	57.5 58.5	16 18.3	74.0 74.0	73.0 72.5	41.0 41.6	99.0	76.5 80.0	59.0 59.5	7.0 6.7	40.0 40.0	1275 1365	2.81 3.01	
	49	51	52.1	9.2	72.5	74.0	41.6	96.7	74.5	56.2	7.3	45.0	1130	2.49			51	54.5	53.3	12.4	73.0	74.0	41.6	97.8	75.6	57.2	7.0	45.0	1235	2.72	
	51	53	53.3	9	73.0	74.0	41.6	97.8	75.7	57.2	7.0	45.0	1170	2.58	700c	C110	53	56.5	54.5	14.4	73.0	74.0	41.0	98.4	77.5	58.4	7.0	45.0	1255	2.76	
	53	55	54.5	11	73.0	74.0	41.0	98.4	77.6	58.4	7.0	45.0	1210	2.67			55	58.5	55.5	16	73.5	73.5	41.0	98.3	79.3	58.3	7.0	43.0	1275	2.81	700c
ght	55	57	55.5	12.5	73.5	73.5	41.0	98.3	79.4	58.3	7.0	43.0	1250	2.75			57 59	60.5 62.5	56.5 57.5	17.7 19.6	73.5 74.0	73.0 73.0	41.0 41.0	98.8 99.0	81.1 79.4	58.8 59.0	7.0 7.0	43.0 40.0	1315 1400	2.90	
Extralight	57	59	56.5	14	73.5	73.0	41.0	98.8	81.2	58.8	7.0	43.0	1290	2.84												***					
EX	59	61	57.5	16	74.0	73.0	41.0	99.0	83.1	59.0	7.0	40.0	1335	2.94		6/4	15.00 16.25	15.00 16.25	22.2 22.8	4.2 4.4	71 71	73.5 73.5	16.8 16.8	40.8 41.5	27.9 28.9	***	1.4 1.3	1.5 1.5	1120 1275	2.47 2.81	
	61	63	58.5	18	74.0	72.5	41.6	100.2	85.1	59.5	6.7	40.0	1425	3.14		XLM 6,	17.50	17.50	23.4	4.7	71	73.0	16.8	41.9	29.8	***	1.2	1.5	1310	2.89	
	63	65	59.5	19.9	74.0	72.5	41.6	101.1	87	60.4	6.7	40.0	1459	3.20		\forall	18.75	18.75	24	5.3 6.3	71 71 5	72.5	16.8	42.4 42.9	30.9 32.1	***	1.2	1.5 1.5	1410	3.11 3.19	
Camena	XS	43.5	49.3	10	71.0	73.5	41.0	95.1	67.7	54.6	5.0	45.0	1300	2.86	650 c 700c		20.00	20.00	24.7	0.3	71.5	72.5	16.8	42.9	32.1		1.2	1.5	1450	3.19	
	S	45.5	51.5	13.5	71.5	73.5	41.0	97.0	70.3	56.6	5.0	45.0	1330	2.93		2	15.00	15.00	22.2	4.2	71	73.5	16.8	40.8	27.9	***	1.4	1.5	1230	2.71	
	М	47.5	52.5	11.4	72.0	73.0	42.0	97.7	72.9	56.8	7.3	50.0	1340	2.95		3/2.5	16.25 17.50	16.25 17.50	22.8 23.4	4.4 4.7	71 71	73.5 73.0	16.8 16.8	41.5 41.9	28.9 29.8	***	1.3 1.2	1.5 1.5	1375 1400	3.03	
	L	49.5	54.5	14.5	73.0	73.0	42.0	98.3	75.6	57.4	7.3	45.0	1390	3.06		MR		18.75	24	5.3	71	72.5	16.8	42.4	30.9	***	1.2	1.5	1545	3.40	
	XL	52	55.5	16.5	73.0	73.0	42.0	99.3	77.7	58.4	7.3	45.0	1440	3.17			20.00	20.00	24.7	6.3	71.5	72.5	16.8	42.9	32.1	***	1.2	1.5	1570	3.46	
																	**All spec	s for XLM	6/4 and M	1r 3/2.5 are	e in inches										

**All specs for XLM 6/4 and Mr 3/2.5 are in inches







Merlin Works line...

".....create a range of bikes within Merlin that screams performance, a category that doesn't rely on the aesthetics but more the out-and-out racer that wants the ultimate race machine beneath them"

-Tom Kellogg

Little did Tom Kellogg know that his words would touch off a chain of events that had the R & D team collecting influences and knowledge from around the globe: design teams in Chattanooga, Tennessee, product advisers from a cycling team headed up by cycling legend Sean Kelly himself. Our test riders were a mix of young and old, seasoned as well as fresh racers from across the globe. Our Merlin development squad was testing bikes that they didn't even know would carry the Works badge. And 18 months later we have a collection of bikes that we simply call: "Works". No fancy names, we just call them what they are, so if you see the Works name you know the bike has been created with one goal: ultimate performance.

Using for the first time 6/4 titanium tubes in abundance, the new line up is a collection of the best materials and the finest engineering. We invite you to sample the Works line at your Merlin dealer. We're confident you'll feel the difference.

CR 6/4 CR 3/2.5



Ultimate Performance

14







New compact frame design for lightweight performance that excels on climbs.

MTS2 butted, tapered and shaped 6/4 titanium tubing for optimum strength to weight ratio.

Ultra-stiff bottom bracket and 1" chainstays make for great drivetrain stiffness, and superb power transfer.

Beautiful artistry of Merlin can be seen in the elegantly engraved head tube.

Ultimate Versatility







Compact frame geometry crafted from newly designed shaped MTS2 3/2.5 size-specific tubing is light and nimble.

The hourglass seat stays and 1" chain stays offer exceptional climbing ability and acceleration.

This two-wheeled "rocket" is stiff, responsive and breathtakingly fast.

SIZES

S | M | ML | L | XL | custom Weight | 2.38 lbs (M) SIZES
S|M|ML|L|XL|custom

Weight 2.56 lbs (M)

TR 6/4 TR 3/2.5



Ultimate Traditional Performance







New stiffer and lighter design thanks to an all-new oversized MTS2 butted 6/4 titanium tapered and ovalized tubeset.

New oversized tube shaping and forming enhance drivetrain stiffness while maintaining a resilient ride.

The nonintegrated engraved head tube attests to Merlin's meticulous artistry and decreases frame weight.

New sleek hourglass shaped seatstays coupled with newly designed massive tapered and doubled-butted chainstays provide smooth riding, acceleration and superb climbing ability.

SIZES

49 | 51 | 53 | 55 | 57 | 59 | 61 | custom Weight | 2.49 lbs (55)

Ultimate Traditional Versatility







Traditional frame geometry crafted from newly designed shaped MTS2 3/2.5 size-specific tubing is light and nimble.

The hourglass seat stays and 1" chain stays offer exceptional climbing ability and acceleration.

This two-wheeled "rocket" is stiff, responsive and breathtakingly fast.

SIZES

49 | 51 | 53 | 55 | 57 | 59 | 61 | custom

Weight 2.75 lbs (55)

XLM 6/4 MR 3/2.5



Ultimate Hardtail Period







Merlin newly designed tapered and butted MTS2 6/4 size-specific titanium tubing is light and strong.

New oversized tubeset guarantees excellent ride quality.

Disc-specific dropout allows use of the most advanced braking technology.

Optional V-Brake bosses and routing available.

Voted *Hardtail of the Year* by "What Mountain Bike Magazine", UK

SIZES

15 | 16.25 | 17.5 | 18.75 | 20 | custom Weight | 2.89 lbs (17.5)

Mountain Versatility







Merlin MTS2 3/2.5 straight gauge sizespecific titanium tubing is strong, responsive and built for long-term durability.

Oversized tubeset for superb trail performance.

Disc-specific dropout allows use of the most up-to-date braking technology.

Low profile hydraulic line guides are light and easy on your thighs.

Same proven geometry as the XLM.

SIZES

15 | 16.25 | 17.5 | 18.75 | 20 | custom Weight | 3.08 lbs (17.5)



Traditional and Contemporary







The all-new C110 Works is a revolutionary bike.

Frame is made of very fine, uni-directional, optimum, low density carbon —the finest carbon made today.

Merlin race proven road race geometry in a carbon frame for ultimate quality, aesthetics and performance.

Ride quality beyond other carbon bikes

Unique in the realm of carbon frames, the C110's dropouts are titanium

SIZES 51 | 53 | 55 | 57 | 59

Weight 2.81 lbs (55)



